ChemGenes has been in business for over 25 years and has recently moved into a state of the art facility in Wilmington, MA. ChemGenes has a full scale modernized lab with the facilities to manufacture in bulk while maintaining its high quality. We have added many new products to our original line to facilitate research in the area of biotechnology.

As the market for oligonucleotides continues to grow, ChemGenes remains committed to introducing novel products, while maintaining its existing product mix. We also have the capacity to custom synthesize products on request.

Our quality is guaranteed! We want to assure you that every product is of the highest purity and conforms to the technical data sheet that accompanies it when shipped.

- ChemGenes takes pride in a long history of customer satisfaction in supplying phosphoramidites that have a purity of 98 % or better for most phosphoramidites.
- Each lot of Phosphoramidite must pass an established testing criteria before it can be shipped to customers



Required QC Tests for Most Phosphoramidites

Solubility test

- Amidites completely Dissolve in Acetonitrile to make a 0.1M Solution (water<0.004-0.005gm/100ml). Leave no visible particulate matter.

Coupling Efficiency

- The coupling efficiency of ChemGenes phosphoramidite products are 98 % or better.

TLC

- Single or double spot with no other visibly impurity on spotting, 0.2mg/spot.
- Single spot or double spot depends on the phosphoramidite.

HPLC

- Greater then 98.5 % purity by HPLC.

31P NMR

- Doublet peak or single peak
- Position of each peak is know for each phosphoramidite.
- The Δvalue between the peaks is calculated and recorded.

UV – The UV test provides 4 values of data:

- The ratio between 250/260 nm
- The ratio between 260/280 nm
- Emax position
- Extinction Coefficient

ChemGenes CORPORATION





Our Products

Oligo Synthesis Reagents

Natural DNA Amidites & Supports

Ancillary Reagents

Modified DNA Amidites & Supports

Natural RNA Amidites & Supports

Amidites and Supports for Introducing Chromophores & Ligands

Amidites and Supports for Antisense Oligonucleotides

Drying Traps

Oligonucleotide Purification

Nucleosides, Sugars, Purines, & NHS Esters

Unprotected mononucleosides

N-protected mononucleosides

DMT-protected mononucleosides

Phosphoramidite Chemistry Reagents

Sugars & Purines

NHS-Esters

Trisphosphates

Modified Triphosphates

Custom Synthesis

New Featured Products

Universal Support

TOM Amidites

For a complete product listing, visit us at **www.chemgenes.com**

TOM Phosphoramidites



- **Now available in Bulk Quantity for RNA Therapeutics development**
- Superior Quality RNA using 2'-O-TOM Protection
- Perfected Manufacturing Process Allows for standards Prices Comparable to TBDMS
- Higher Coupling Efficiency Due to lower steric hindrance
- Faster Coupling Times. (2-4 minutes, varies based on scale and activator)

- **Quality Guaranteed**
  - Purity greater than 97% by HPLC
  - UV Spectral data to conform to highest
  - 1 H NMR & 31 P NMR data to conform
  - Coupling efficiency greater than 98%
  - Produced under GMP guidelines.

Low to High loading supports alternate Resins are also available



B	Protection	Catalog #
A	n-acetyl	**ANP-3201**
C	n-acetyl	**ANP-3202**
G	n-acetyl	**ANP-3203**
U	n/a	**ANP-3205**



B	Protection	Catalog #	Pore Size
A	n-acetyl	**N-32001-05**	500A
		N-32001-10	100AA
C	n-acetyl	**N-32002-05**	500A
		N-32002-10	1000A
G	n-acetyl	**N-32003-05**	500A
		N-32002-10	1000A
U	n/a	**N-32005-05**	500A
		N-32005-10	1000A

Universal Supports



- **Need content for this page....**

3′-tBDSilyl RNA Phosphoramidites



- Allows the synthesis of 2′-5′-linked oligos
- RNA 2′,5′-duplexes are not substrates of the enzyme RNAse. However, they can inhibit the RNaseH mediated cleavage of a natural DNA: RNA substrate.

Useful Applications:

- Determine their exact biological role
- Extend their biological half life
- Alter the biological activity of the core structure



Adenosine (n-bz)
3′-tBDSilyl CED OP

Catalog #
ANP-5681



Cytidine (n-bz)
3′-tBDSilyl CED OP

Catalog #
ANP-5682



Guanosine (n-ibu)
3′-tBDSilyl CED OP

Catalog #
ANP-5683



Uridine 3′-tBDSilyl
CED OP

Catalog #
ANP-5684

N-Alkylated Phosphoramidites



- ChemGenes offers the phosphoramidites for studies and possibilities of reversal of methylated lesions by use of oligonucleotides incorporation alkylated purine/pyrimidine.
- Due to mutagenic effects of carcinogens, DNA in living organisms is vulnerable to alkylation.
- It has been shown that there is a direct reversal of n-alkylation of methylated bases in oligonucleotides.
- The discovery of an enzyme which is substrate for DNA repair has great implications for repair of such carcinogenic and mutagenic effects.

Our featured products include:



N1-Methyl deoxy
Adenosine
Phosphoramidite

Catalog # **ANP-6121**



N1-Methyl deoxy
Guanosine
Phosphoramidite

Catalog # **ANP-6122**



N3-Methyl deoxy
Cytidine
Phosphoramidite

Catalog # **ANP-3851**



N3-Methyl Thymidine
Phosphoramidite

Catalog # **ANP-6153**

(S.C. Trewick, T.F. Henshaw, R.P.Hausinger, T. Lindahl and B. Sedgwick, Nature, 419, 174-177, 2002; and another report confirming these observations, P.Falnes, R.F. Johansen, E. Seeberg, Nature 419, 178, 2002).

7-Deaza products

ChemGenes has perfected the technology of productions of these modified bases and the corresponding phosphoramidites.

These modifications find extensive application in the design and selection introduction of these modified bases into DNA. Some of the key properties of the 7-deaza modification are outlined:

a. Avoids the problem of extensive secondary structure formation, and thereby improves the targeted hybridization.

b. Antiparallel triple helix formation with double stranded DNA is favored with this modification.

c. The nucleoside and corresponding triphosphates are currently used in DNA sequencing analysis.

ChemGenes has extensive capabilities in the following:

- Bulk quantities of the 7-deaza-2′-deoxy nucleosides for DNA sequencing and molecular biology studies.
- Highest purity 7-deaza-2′-deoxy nucleoside phosphoramidites for specific introduction of these modified bases into synthetic DNA sequences.

ChemGenes currently has available the nucleosides; 7-Deaza-r-adenosine, 7-deaza-r-guanosine and 7-deaza-r-inosine, as well as the corresponding 2′-tBDSilyl phosphoramidites.



N1-Methyl 7-Deaza deoxy Adenosine

Catalog # **DN-1143**



N1-Methyl 7-Deaza deoxy Guanosine

Catalog # **DN-4567**



7-Deaza-7-Iodo deoxy Adenosine

Catalog # **DN-2561**



7-Deaza-7-Iodo deoxy Guanosine

Catalog # **DN-2563**



7-Deaza ribo Adenosine

Catalog # **RP-2312**



7-Deaza ribo Guanosine

Catalog # **RP-2313**

ChemGenes CORPORATION

Reverse Oligo Synthesis

- ChemGenes offers reverse amidites with 5′,3′-direction of synthesis.
- Including reverse 2′-O-Methyl amidites, Reverse Abasic Amidite, Reverse deoxy Amidites, and more….

Application of Reverse Phosphoramidites

- Synthesis of 3′-3′-linked DNA
- Synthesis of special oligonucleotides required to be coupled at the 5′-end selectively
- Synthesis of oligonucleotides from left to right (5′-3′-direction).



3′-DMT deoxy Adenosine (n-bz) 5′-CED OP

Catalog # **ANP-4671**



3′-DMT deoxy Guanosine (n-ibu) 5′-CED OP

Catalog # **ANP-4673**



3′-DMT Thymidine 5′-CED OP

Catalog # **ANP-4674**



3′-DMT deoxy Cytidine (n-bz) 5′-CED OP

Catalog # **ANP-4672**

- Also available are reverse 2′-O-Methyl RNA

B	Protection	Catalog #
A	n-bz	**ANP-1012**
C	n-bz	**ANP-1013**
G	n-ibu	**ANP-1014**
U	n/a	**ANP-1015**